

Pipe and duct plugs for energy and fibre optic cables

240





Blank duct plugs for duct D 46-162 mm

Duct and cable sealing plug for 1 electro cable

Duct and cable sealing plug for 3 electro cables

Duct and cable sealing plug for 4 electro cables

Hole plugs and bushing sleeves to sealing plugs

Blank duct plugs for duct D 18-46 mm

Duct and cable sealing plug for 1 FOC

Duct and cable sealing plug for 2 FOC



Duct plugs

Blank duct plugs with rope ties for sealing vacant conduit and inner duct. All plastic construction, corrosion proof.

Code	Type	Duct-ID	Pack.	kg
24012420	20D236U	46,0-60,0	12 pcs.	0,10
24012425	25D296U	60,0-75,0	12 pcs.	0,13
24012430	30D346U	76,0-88,0	12 pcs.	0,15
24012435	35D400U	87,0-102,0	12 pcs.	0,20
24012440	40D402U	100,0-110,0	8 pcs.	0,24
24012445	50D500U	117,0-127,0	8 pcs.	0,41
24012450	50D535U	127,0-136,0	8 pcs.	0,40
24012460	60D637U	148,0-162,0	8 pcs.	0,57



Electro cable simplex plug

Simplex duct plugs for sealing around and supporting 1 electro cable in conduits. Split-round plug. Plastic construction, with stainless steel fasteners.

- Water and air tight to 0,5 bar (7,25 psi).
- Simple installation around in-place cables.
- Supports minimum 200 daN/400 lbs of cable or subducts.
- Ideal for manholes and building entrances. Removable and reusable.

Code	Type	Duct-ID	Cable-D	Pack.	kg
24013110	21S136SG	50,0-53,0	33,0-35,0	12 pcs.	0,10
24013111	25S136SG	59,0-64,0	33,0-35,0	12 pcs.	0,13
24013112	25S157SG	59,0-65,0	35,0-40,0	12 pcs.	0,11
24013120	30S136S	77,0-80,0	30,0-34,0	12 pcs.	0,39
24013121	30S196SB	77,0-80,0	35,0-50,0	12 pcs.	0,41
24013122	30S204S	77,0-80,0	48,0-52,0	12 pcs.	0,39
24013130	30S136A	83,0-86,0	30,0-34,0	12 pcs.	0,51
24013131	30S196AB	83,0-86,0	35,0-50,0	12 pcs.	0,43
24013132	30S220AB	83,0-86,0	48,0-56,0	12 pcs.	0,35
24013140	35S136S	89,0-93,0	30,0-34,0	12 pcs.	0,53
24013141	35S196SB	89,0-93,0	35,0-50,0	12 pcs.	0,54
24013142	35S256SB	89,0-93,0	48,0-65,0	12 pcs.	0,46
24013150	40S136S	100,0-106,0	30,0-34,0	12 pcs.	0,71
24013151	40S196SB	100,0-106,0	35,0-50,0	12 pcs.	0,73
24013152	40S256SB	100,0-106,0	48,0-65,0	12 pcs.	0,69
24013153	40S291SB	100,0-106,0	65,0-74,0	12 pcs.	0,46
24013154	40S327SB	100,0-106,0	75,0-83,0	12 pcs.	0,38
24013160	40S136A	106,0-110,0	30,0-34,0	12 pcs.	0,83
24013161	40S196AB	106,0-110,0	35,0-50,0	12 pcs.	0,83
24013162	40S256AB	106,0-110,0	48,0-65,0	12 pcs.	0,78
24013163	40S315AB	106,0-110,0	65,0-80,0	12 pcs.	0,59

24013164	40S327A	106,0-110,0	80,0-83,0	12 pcs.	0,59
24013170	50S196SB	128,0-136,0	35,0-50,0	6 pcs.	1,18
24013171	50S256SB	128,0-136,0	48,0-65,0	6 pcs.	1,13
24013172	50S315SB	128,0-136,0	65,0-80,0	6 pcs.	0,83
24013173	50S373SGB	128,0-136,0	80,0-95,0	6 pcs.	0,97
24013180	60S196SGB	153,0-161,0	35,0-50,0	6 pcs.	2,83
24013181	60S256SB	153,0-161,0	48,0-65,0	6 pcs.	2,65
24013182	60S315SB	153,0-161,0	65,0-80,0	6 pcs.	2,25
24013183	60S373SGB	153,0-161,0	80,0-95,0	6 pcs.	1,93



Electro cable triplex plug

Triplex duct plugs for sealing around and supporting 3 electro cables in conduits. Split-round plug. Plastic construction, with stainless steel fasteners.

- Water and air tight to 0,5 bar (7,25 psi).
- Simple installation around in-place cables.
- Supports minimum 200 daN/400 lbs of cable or subducts.
- Ideal for manholes and building entrances. Removable and reusable.

Code	Type	Duct-ID	Cable-D	Pack.	kg
24013307	35B136S	89,0-92,0	3 x 31-34	12 pcs.	0,31
24013310	40B122S	100,0-107,0	3 x 27-31	12 pcs.	0,54
24013312	40B136S	101,0-105,0	3 x 31-34	12 pcs.	0,52
24013314	40B142S	101,0-105,0	3 x 33-36	12 pcs.	0,50
24013316	40B167S	101,0-105,0	3 x 39-42	12 pcs.	0,43
24013320	40B142A	106,0-109,0	3 x 32-36	12 pcs.	0,57
24013322	40B150A	106,0-109,0	3 x 34-38	12 pcs.	0,54
24013324	40B167A	106,0-109,0	3 x 39-42	12 pcs.	0,48
24013340	50B142H	124,0-127,0	3 x 33-36	6 pcs.	1,30
24013342	50B167H	124,0-127,0	3 x 39-42	6 pcs.	0,85
24013344	50B192HG	124,0-127,0	3 x 45-49	6 pcs.	0,97
24013350	50B142S	128,0-136,0	3 x 32-36	6 pcs.	1,23
24013352	50B167SG	128,0-136,0	3 x 44-48	6 pcs.	1,10
24013354	50B192S	128,0-133,0	3 x 44-48	6 pcs.	0,97
24013360	60B142H	148,0-152,0	3 x 33-36	6 pcs.	2,10
24013362	60B167H	148,0-152,0	3 x 37-40	6 pcs.	1,80
24013364	60B192H	148,0-152,0	3 x 46-49	6 pcs.	1,68
24013370	60B142S	153,0-161,0	3 x 32-36	6 pcs.	0,66
24013372	60B167SG	153,0-161,0	3 x 38-42	6 pcs.	2,17
24013374	60B192S	153,0-161,0	3 x 44-48	6 pcs.	2,02
24013376	60B236SB	153,0-158,0	3 x 50-60	6 pcs.	1,45



Electro cable quadplex plug

Quadplex duct plugs for sealing around and supporting 4 electro cables or tubes in conduits. Split-round plug. Plastic construction, with stainless steel fasteners.

- Water and air tight to 0,5 bar (7,25 psi).
- Simple installation around in-place cables.
- Supports minimum 200 daN/400 lbs of cable or subducts.
- Ideal for manholes and building entrances. Removable and reusable.

Code	Type	Duct-ID	Cable-D	Pack.	kg
24013406	35Q126SG	89,0-92,0	4 x 29-32	12 pcs.	0,33
24013408	36Q126S	93,0-96,0	4 x 29-32	12 pcs.	0,36
24013410	40Q136H	98,0-102,0	4 x 30-34	12 pcs.	0,38
24013412	40Q136S	101,0-105,0	4 x 30-34	12 pcs.	0,42
24013413	40Q136A	106,0-110,0	4 x 30-34	12 pcs.	0,46
24013418	50Q142HG	124,0-127,0	4 x 33-36	6 pcs.	1,85
24013420	50Q167HG	124,0-127,0	4 x 39-42	6 pcs.	0,85
24013424	50Q136SG	128,0-136,0	4 x 30-34	6 pcs.	1,18
24013426	50Q167S	128,0-136,0	4 x 38-42	6 pcs.	0,70
24013430	60Q142HG	148,0-152,0	4 x 33-36	6 pcs.	1,88
24013432	60Q167HG	148,0-152,0	4 x 39-42	6 pcs.	1,73
24013436	60Q136SG	153,0-161,0	4 x 30-34	6 pcs.	2,02
24013438	60Q150SG	153,0-161,0	4 x 34-38	6 pcs.	1,98
24013440	60Q167SG	153,0-161,0	4 x 38-42	6 pcs.	1,78



Duct quadplex plug

Quadplex duct plugs for sealing around and supporting 4 sub ducts in conduits. Split-round plug. Plastic construction, with stainless steel fasteners.

- Water and air tight to 0,5 bar (7,25 psi).
- Simple installation around in-place cables.
- Supports minimum 200 daN/400 lbs of cable or subducts.
- Ideal for manholes and building entrances. Removable and reusable.

Code	Type	Duct-ID	Multiple ducts	Pack.	kg
24013470	40Q160SG-1	101,0-105,0	2xD 40 + 2xD 32 mm	12 pcs.	0,41
24013474	45Q160SG-1	116,0-120,0	2xD 40 + 2xD 32 mm	12 pcs.	0,65



Hole plugs

Hole plugs for sealing vacancies in triplex and quadplex duct plugs. For temporary or permanent use. Water and air tight 0,5 bar. Solid polypropylene plastic.

Code	Type	Exit-D	Pack.	kg
24013610	136JMH136	31,0-36,0	12 pcs.	0,03
24013611	167JMH167	39,0-42,0	12 pcs.	0,02
24013612	192JMH192	44,0-48,0	12 pcs.	0,03



Bushing sleeves

Bushing sleeves to adjust the hole sizes and modify the cable O.D. range of the simplex, triplex and quadplex plugs. Water and air tight 0,5 bar. Soft rubber quality.

Code	Type	Exit-D	Cable-D	Pack.	kg
24013810	136JMB038	31,0-34,0	6,0-10,0	12 pcs.	0,04
24013811	136JMB047	31,0-34,0	10,0-12,0	12 pcs.	0,08
24013812	136JMB055	31,0-34,0	12,0-14,0	12 pcs.	0,07
24013813	136JMB063	31,0-34,0	14,0-16,0	12 pcs.	0,07
24013814	136JMB075	31,0-34,0	16,0-19,0	12 pcs.	0,06
24013815	136JMB087	31,0-34,0	19,0-22,0	12 pcs.	0,05
24013816	136JMB094	31,0-34,0	22,0-24,0	12 pcs.	0,04
24013817	136JMB102	31,0-34,0	24,0-26,0	12 pcs.	0,04
24013818	136JMB110	31,0-34,0	26,0-28,0	12 pcs.	0,03
24013819	136JMB118	31,0-34,0	28,0-30,0	12 pcs.	0,02
24013820	142JMB038	33,0-36,0	6,0-10,0	12 pcs.	0,09
24013821	142JMB047	33,0-36,0	10,0-12,0	12 pcs.	0,10
24013822	142JMB055	33,0-36,0	12,0-14,0	12 pcs.	0,10
24013823	142JMB063	33,0-36,0	14,0-16,0	12 pcs.	0,09
24013824	142JMB075	33,0-36,0	16,0-19,0	12 pcs.	0,08
24013825	142JMB087	33,0-36,0	19,0-22,0	12 pcs.	0,08
24013826	142JMB094	33,0-36,0	22,0-24,0	12 pcs.	0,07
24013827	142JMB102	33,0-36,0	24,0-26,0	12 pcs.	0,06
24013828	142JMB110	33,0-36,0	26,0-28,0	12 pcs.	0,05
24013829	142JMB118	33,0-36,0	28,0-30,0	12 pcs.	0,04
24013830	142JMB126	33,0-36,0	30,0-32,0	12 pcs.	0,03
24013831	167JMB038	39,0-42,0	6,0-10,0	12 pcs.	0,09
24013832	167JMB047	39,0-42,0	10,0-12,0	12 pcs.	0,13
24013833	167JMB055	39,0-42,0	12,0-14,0	12 pcs.	0,09
24013834	167JMB063	39,0-42,0	14,0-16,0	12 pcs.	0,11
24013835	167JMB075	39,0-42,0	16,0-19,0	12 pcs.	0,11
24013836	167JMB087	39,0-42,0	19,0-22,0	12 pcs.	0,10
24013837	167JMB094	39,0-42,0	22,0-24,0	12 pcs.	0,09

24013838	167JMB102	39,0-42,0	24,0-26,0	12 pcs.	0,08
24013839	167JMB110	39,0-42,0	26,0-28,0	12 pcs.	0,07
24013840	167JMB118	39,0-42,0	28,0-30,0	12 pcs.	0,06
24013841	167JMB126	39,0-42,0	30,0-32,0	12 pcs.	0,05
24013842	167JMB136	39,0-42,0	32,0-35,0	12 pcs.	0,05
24013843	167JMB142	39,0-42,0	34,0-36,0	12 pcs.	0,04
24013844	167JMB150	39,0-42,0	36,0-38,0	12 pcs.	0,03
24013845	192JMB038	44,0-48,0	6,0-10,0	12 pcs.	0,05
24013846	192JMB047	44,0-48,0	10,0-12,0	12 pcs.	0,05
24013847	192JMB055	44,0-48,0	12,0-14,0	12 pcs.	0,05
24013848	192JMB063	44,0-48,0	14,0-16,0	12 pcs.	0,05
24013849	192JMB075	44,0-48,0	16,0-19,0	12 pcs.	0,05
24013850	192JMB087	44,0-48,0	19,0-22,0	12 pcs.	0,05
24013851	192JMB094	44,0-48,0	22,0-24,0	12 pcs.	0,05
24013852	192JMB102	44,0-48,0	24,0-26,0	12 pcs.	0,05
24013853	192JMB110	44,0-48,0	26,0-28,0	12 pcs.	0,05
24013854	192JMB118	44,0-48,0	28,0-30,0	12 pcs.	0,05
24013855	192JMB126	44,0-48,0	30,0-32,0	12 pcs.	0,05
24013856	192JMB136	44,0-48,0	32,0-35,0	12 pcs.	0,05
24013857	192JMB142	44,0-48,0	34,0-36,0	12 pcs.	0,05
24013858	192JMB150	44,0-48,0	36,0-38,0	12 pcs.	0,05



Duct plugs

Blank duct plugs with rope ties for sealing vacant conduit and inner duct. All plastic construction, corrosion proof.

- Water and air tight to 0,5 bar (7,25 psi)
- Simple installation. Ideal for manholes and building entrances.
- Ideal for manholes and building entrances. Removable and reusable.

Code	Type	Duct-ID	Pack.	kg
24012408	07D100U	18,0-26,0	12 pcs.	0,02
24012410	10D104U	24,0-30,0	12 pcs.	0,03
24012412	12D148U	29,0-38,0	12 pcs.	0,04
24012415	15D183U	38,0-46,0	12 pcs.	0,05



Fibre optic simplex plug

Simplex duct plugs for sealing around and supporting 1 fibre optic cable in conduits. All plastic construction, corrosion proof.

- Water and air tight to 0,5 bar (7,25 psi).
- Simple installation around in-place cables.
- Supports minimum 200 daN/400 lbs of cable or subducts.
- Ideal for manholes and building entrances. Removable and reusable.

Code	Type	Duct-ID	For c-D	Pack.	kg
24013006	07S035SB	19,8-21,8	5,1-8,9	12 pcs.	0,03
24013007	07S057SB	18,5-20,0	10,0-14,5	12 pcs.	0,04
24013009	09S050SB	23,5-26,0	9,0-12,7	12 pcs.	0,03
24013010	10S035S	25,5-29,0	5,0-9,0	12 pcs.	0,04
24013011	10S057SB	25,5-29,0	9,0-14,5	12 pcs.	0,04
24013012	10S070SB	25,5-28,0	13,0-18,0	12 pcs.	0,04
24013013	11S057SB	28,0-32,0	9,0-14,5	12 pcs.	0,05
24013014	11S070SB	28,0-32,0	13,0-18,0	12 pcs.	0,05
24013015	11S078S	28,0-32,0	18,0-23,0	12 pcs.	0,04
24013016	12S035SB	31,0-34,5	5,0-9,0	12 pcs.	0,06
24013017	12S057SB	31,0-34,5	9,0-14,5	12 pcs.	0,06
24013018	12S070SB	31,0-34,5	13,0-18,0	12 pcs.	0,06
24013019	12S090SB	31,0-34,5	18,0-23,0	12 pcs.	0,05
240130190	13S097SB-1	33,8-37,1	8,9-24,6	12 or 288 pcs.	0,08
24013020	13S057SB	34,5-38,0	9,0-14,5	12 pcs.	0,07
24013021	13S070SB	34,5-38,0	13,0-18,0	12 pcs.	0,07
240130215	15S035SB	38,0-42,0	5,0-9,0	12 or 288 pcs.	0,08
24013022	15S057SB	38,0-42,0	9,0-14,5	12 pcs.	0,08
24013023	15S070SB	38,0-42,0	13,0-18,0	12 pcs.	0,07
24013024	15S090SB	38,0-42,0	18,0-23,0	12 pcs.	0,09
24013025	15S110SB	38,0-42,0	23,0-28,0	12 pcs.	0,07
24013028	20S057SB	46,0-50,0	9,0-14,5	12 pcs.	0,15
24013029	20S070SB	46,0-50,0	13,0-18,0	12 pcs.	0,15
24013030	20S090SB	46,0-50,0	18,0-23,0	12 pcs.	0,14
24013032	21S057SB	50,0-55,5	9,0-14,5	12 pcs.	0,15
24013033	21S070SB	50,0-55,5	13,0-18,0	12 pcs.	0,16
24013034	21S090SB	50,0-55,5	18,0-23,0	12 pcs.	0,14
24013035	21S110AB	50,0-55,5	23,0-28,0	12 pcs.	0,16



Fibre optic duplex plug

Duplex duct plugs for sealing around and supporting 2 fibre optic cables in conduits. All plastic construction, corrosion proof.

- Water and air tight to 0,5 bar (7,25 psi).
- Simple installation around in-place cables.
- Supports minimum 200 daN/400 lbs of cable or subducts.
- Ideal for manholes and building entrances. Removable and reusable.

Code	Type	Duct-ID	1. cable-D	2. Cable-D	Pack.	kg
24013040	40ZGH12-12	40,0-41,0	11,0-12,0	11,0-12,0	12 pcs.	0,15
24013041	40ZGH12-13	40,0-41,0	11,0-12,0	12,0-13,0	12 pcs.	0,15
24013042	40ZGH12-14	40,0-41,0	11,0-12,0	13,0-14,0	12 pcs.	0,15
24013043	40ZGH12-15	40,0-41,0	11,0-12,0	14,0-15,0	12 pcs.	0,15
24013044	40ZGH12-16	40,0-41,0	11,0-12,0	15,0-16,0	12 pcs.	0,15
24013045	40ZGH12-17	40,0-41,0	11,0-12,0	16,0-17,0	12 pcs.	0,15
24013046	40ZGH12-18	40,0-41,0	11,0-12,0	17,0-18,0	12 pcs.	0,15
24013047	40ZGH13-13	40,0-41,0	12,0-13,0	12,0-13,0	12 pcs.	0,15
24013048	40ZGH13-14	40,0-41,0	12,0-13,0	13,0-14,0	12 pcs.	0,15
24013049	40ZGH13-15	40,0-41,0	12,0-13,0	14,0-15,0	12 pcs.	0,15
24013050	40ZGH13-16	40,0-41,0	12,0-13,0	15,0-16,0	12 pcs.	0,15
24013051	40ZGH13-17	40,0-41,0	12,0-13,0	16,0-17,0	12 pcs.	0,15
24013052	40ZGH13-18	40,0-41,0	12,0-13,0	17,0-18,0	12 pcs.	0,15
24013053	40ZGH14-14	40,0-41,0	13,0-14,0	13,0-14,0	12 pcs.	0,15
24013054	40ZGH14-15	40,0-41,0	13,0-14,0	14,0-15,0	12 pcs.	0,15
24013055	40ZGH14-16	40,0-41,0	13,0-14,0	15,0-16,0	12 pcs.	0,15
24013056	40ZGH14-17	40,0-41,0	13,0-14,0	16,0-17,0	12 pcs.	0,15
24013057	40ZGH14-18	40,0-41,0	13,0-14,0	17,0-18,0	12 pcs.	0,15
24013058	40ZGH15-15	40,0-41,0	14,0-15,0	14,0-15,0	12 pcs.	0,15
24013059	40ZGH15-16	40,0-41,0	14,0-15,0	15,0-16,0	12 pcs.	0,15
24013060	40ZGH15-17	40,0-41,0	14,0-15,0	16,0-17,0	12 pcs.	0,15
24013061	40ZGH15-18	40,0-41,0	14,0-15,0	17,0-18,0	12 pcs.	0,15
24013062	40ZGH16-16	40,0-41,0	15,0-16,0	15,0-16,0	12 pcs.	0,15
24013063	40ZGH16-17	40,0-41,0	15,0-16,0	16,0-17,0	12 pcs.	0,15
24013064	40ZGH16-18	40,0-41,0	15,0-16,0	17,0-18,0	12 pcs.	0,15
24013065	40ZGH17-17	40,0-41,0	16,0-17,0	16,0-17,0	12 pcs.	0,15
24013066	40ZGH17-18	40,0-41,0	16,0-17,0	17,0-18,0	12 pcs.	0,15
24013067	40ZGH18-18	40,0-41,0	17,0-18,0	17,0-18,0	12 pcs.	0,15
24013068	40ZGH19-12	40,0-41,0	18,0-19,0	11,0-12,0	12 pcs.	0,15
24013069	40ZGH19-13	40,0-41,0	18,0-19,0	12,0-13,0	12 pcs.	0,15